



CONCERT OF STATE

UNITED TO STATE

FOR TO STUDIES COLORADO

department of electrical engineering



ARO 13279.1-MS

A Comparison of Dipole and Finite Element
Models for Predicting Leakage Fields Around
Rectangular Slots in Ferromagnetic Materials

ARO Technical Report

January 1978

Prepared for the U.S. Army Research Office under Contract DAAG29-76-G-0249



W. Lord, Principal Investigator Electrical Engineering Department Colorado State University Fort Collins, CO 80523 Telephone: (303) 491-6018 (or 6706)

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited



A Comparison of Dipole and Finite Element Models for Predicting Leakage Fields Around Rectangular Slots in Ferromagnetic Materials

W. Lord, J. M. Bridges, W. Yen and
R. Palanisamy

ARO Technical Report

January 1978

Prepared for the U.S. Army Research Office under Contract DAAG29-76-G-0249



W. Lord, Principal Investigator Electrical Engineering Department Colorado State University Fort Collins, CO 80523 Telephone: (303) 491-6018 (or 6706)

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

APN 13279 1-MS

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
. REPORT NUMBER 13279.1-MS	2. JOVT ACCESSION NO.	. 3. RECIPIENT'S CATALOG NUMBER
A Comparison of Dipole and Finite Element Models for Predicting Leakage Fields Around Rectangular Slots in Ferromagnetic Materials		5. TYPE OF REPORT & PERIOD COVERED Technical Report 6. PERFORMING ORG. REPORT NUMBER
W. Lord W. 1	v	DAAG29 76 G 0249
	len Palanisamy	DAAG29 TO G U249
Colorado State University Fort Collins, Colorado 80523		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Research Office Post Office Box 12211 Research Triangle Park, NC 27709 14. MONITORING AGENCY NAME & ADDRESS(It different from Controlling Office)		12. REPORT DATE
		January 1978 13. NUMBER OF PAGES 29
		Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Computerized simulation Crystal defects

Dipoles Interactions

Finite element Nondestructive testing

Mathematical models Steel

Magnetic fields Computer programs

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This technical report describes computer code generated for the study of dipole and finite element models of magnetic field/defect interactions associated with leakage field methods of nondestructive testing. It is the principal investigator's contention that finite element analysis techniques could be used to develop defect characterization shcemes for all electromagnetic methods of nondestructive testing, as well as providing valuable in fight into the study of defect signal phenomena. Experimental results are given, showing Hall probe generated leakage field profiles

DD 1 JAN 73 1473


EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

Magnetization

20. ABSTRACT CONTINUED

around rectangular slots in a steel bar, and compared with both dipole and finite element model predictions. The finite element code has already been used to produce a library of leakage field profiles for a variety of surface and subsurface defects in a ferromagnetic bar carrying an axial dc magnetizing current and as part of ARO Grant DAAG29-76-G-0249, the code will be extended to include residual forms of magnetization.



Contents

Abstract

Introdution

Active and residual leakage fields around rectangular slots

Dipole Modeling

Finite Element Modeling

Discussion

References

Appendices

- A. Dipole Modeling Code
- B. Finite Element Modeling Code
 - 1. Mesh Generation
 - 2. Element Ordering
 - Vector Potential and Flux Density Calculation

Abstract

This technical report describes computer code generated for the study of dipole and finite element models of magnetic field/defect interactions associated with leakage field methods of nondestructive testing. It is the principal investigator's contention that finite element analysis techniques could be used to develop defect characterization schemes for all electromagnetic methods of nondestructive testing, as well as providing valuable insight into the study of defect signal phenomena.

Experimental results are given, showing Hall probe generated leakage field profiles around rectangular slots in a steel bar, and compared with both dipole and finite element model predictions. The finite element code has already been used to produce a library of leakage field profiles for a variety of surface and subsurface defects in a ferromagnetic bar carrying an axial dc magnetizing current and as part of ARO contract DAAG29-76-G-0249, the code will be extended to include residual forms of magnetization.

Introduction

During the past decade, the urgent need for incorporating nondestructive testing and evaluation considerations directly into the engineering design process has been amply illustrated by material failures in aerospace, electric power and transportation industry equipment. The economic impact of such failures is well documented 1-4 and provides a major impetus to improve all aspects of the nondestructive testing art. Considerable progress has been made toward this end through such efforts as the ARPA/ AFML program. Although the work has concentrated primarily on ultrasonic techniques, much of the research philosophy developed for the program with regard to the study of basic phenomena 6, development of models 7. signature identification by signal processing 8 and the subsequent accept/ reject decision founded on a knowledge of fracture mechanics and related failure probabilities could and should be applied to other nondestructive testing techniques. The cornerstone of such an approach is the development of an adequate mathematical model for the study of the basic field/ defect interactions. Such a model is needed in order to develop a defect characterization scheme and to identify suitable parameters for the signal processing.

Despite recent developments in automatic defect characterization associated with eddy current and leakage flux methods of nondestructive testing 9,10, the subject of electromagnetic methods of nondestructively testing ferromagnetic materials is characterized largely by empirical knowledge. Where closed form mathematical solutions do exist, describing electromagnetic field/defect interactions, the underlying assumptions of the theories tend to invalidate any realistic application of the results

to the problem of defect characterization in ferromagnetic materials.

The problem of modeling electromagnetic field/defect interactions in ferromagnetic materials is complicated not only by the nonlinear magnetization characteristic of the material and the awkward defect boundaries but also by the number of different phenomena utilized 11. Figure 1 shows the three major modes of field/defect interaction. In magnetic particle and magnetographic methods of nondestructive testing, the ferromagnetic specimen to be tested is initially magnetized with dc current. Residual leakage fields are set up around defects present in The presence of such fields can be observed either directly using magnetic particles or indirectly by recording the leakage fields on magnetic tape. With reluctance and perturbation techniques, a constant dc magnetization current is used to set up active leakage fields around defects in the parts undergoing inspection, which can be detected using any flux sensitive transducer 11. Finally in eddy current testing, ac excitation is used to induce secondary currents and fields in the specimen. In this case the presence of a defect causes changes in both induced currents and fields, resulting in measurable impedance variations in the pickup coil.

Differences in the residual, active and eddy phenomena are summarized in Figure 1 which shows the regions of the material's B-H characteristic over which the various phenomena occur.

The major purpose of this technical report is to give details of a finite element model for predicting leakage fields around defects in ferromagnetic parts carrying dc magnetization current. It is the principal investigators contention that the finite element model could be used as the basis for developing defect characterization schemes for all




Figure 1. Electromagnetic phenomena utilized in detecting defects in ferromagnetic materials

- a) Residual leakage field (region BC)
- b) Active leakage field (region OA)
- c) AC excitation (region ABCDEA)

electromagnetic methods of nondestructive testing, including active direct current, residual and alternating current methods of excitation.


The following sections describe:

- Actual residual and active leakage field profiles for rectangular slots in a steel bar obtained by scanning a Hall probe over the surface of the bar.
- Dipole model predictions for active and residual leakage fields around the same slots.
- Finite element predictions for the active leakage fields around the same slots.


The report concludes with a discussion of the relative merits of the two modeling techniques and indicates how the finite element model might be extended to include residual magnetization and eddy current phenomena. An extensive bibliography is included for further reference.

Active and Residual Leakage Fields Around Rectangular Slots

The general shapes of residual and active leakage fields around defects in ferromagnetic materials are well known and have been widely reported in the literature 12-16. However, in order to provide a basis of comparison with theoretical modeling studies, residual and active leakage field profiles were monitored around rectangular slots in a steel bar using the apparatus shown in Figure 2. A miniature Hall probe was used to measure the vertical component of the leakage field flux density. Leakage field profiles were obtained by driving the probe with a uniform velocity over the surface of the bar using an x-y positioning mechanism. The output of the probe was fed to a Gaussmeter having an analog output of sufficient magnitude to drive an x-y recorder.



Experimental arrangement for the determination of residual and active leakage fields around rectangular slots in ferromagnetic bars. Figure 2.







Figure 3. Active leakage field profiles for rectangular slots of constant width (0.125") and varying depth with dc excitation

- a) Typical profiles
- b) Peak-to-peak magnitude as a function of depth
- c) A typical lift-off characteristic






Figure 4. Residual leakage field profiles for rectangular slots of constant width (0.125") and varying depth after dc excitation

a) Typical profiles

b) Peak-to-peak magnitude as a function of depth




Figure 5. Active leakage field profiles for rectangular slots of constant depth (0.2") and varying width with dc excitation

- a) Typical profiles
- b) Peak-to-peak magnitude as a function of width




Figure 6. Residual leakage field profiles for rectangular slots of constant depth (0.2") and varying width after dc excitation

- a) Typical profiles
- b) Peak-to-peak magnitude as a function of width

Typical results are shown in Figures 3, 4, 5, and 6. Both active and residual leakage field profiles for rectangular slots of constant width and varying depth are shown in Figures 3 and 4 respectively together with a typical lift-off characteristic and plots of the signals' peak-to-peak magnitudes versus depth. Corresponding results are shown in Figures 5 and 6 for rectangular slots of constant depth and varying width. Probe "lift-off" in each case was 0.015".

Note particularly the differences in peak-to-peak magnitude between the active and residual leakage fields, as well as the slight changes in profile shape.

Care was taken in setting up the experiment to ensure that a uniform magnetizing current distribution was obtained over the cross section of the specimen, and that the size of the Hall probe was sufficiently small relative to the size of the specimen that a virtual point-to-point leakage field profile was obtained by scanning over the specimen surface.

Dipole Modeling

Perhaps the most widely used model for electromagnetic field/defect interactions is that developed by Zatsepin and Shcherbinin¹⁷. Initially proposed for the prediction of residual leakage fields, the technique has now been improved and extended to include both dc and ac excitation conditions¹⁸⁻²³. Leakage fields around rectangular slots are modeled by assuming a "uniform magnetic charge distribution" over the sides of the slot, neglecting material nonlinearities and assuming that the "charge" on the base of the slot does not contribute to the leakage field. Under these conditions expressions can be developed for the x and y components of the resulting leakage field as follows:

$$H_{x} = 2\sigma_{s} \left[arctg \frac{h(x+b)}{(x+b)^{2} + y(y+h)} - arctg \frac{h(x-b)}{(x-b)^{2} + y(y+h)} \right]$$
 (1)


$$H_{y} = \sigma_{s} \ln \frac{[(x+b)^{2} + (y+h)^{2}][(x-b)^{2} + y^{2}]}{[(x+b)^{2} + y^{2}][(x-b)^{2} + (y+h)^{2}]}$$
(2)


where the slot width is 2b units and the slot depth is h units. $\sigma_{_{\mbox{S}}}$ is the assumed "surface charge density."

Figures 7 and 8 show plots of H_X and H_Y based on equations 1 and 2 for the rectangular slots whose actual residual leakage field profiles are shown in Figures 4 and 6. The results have been normalized and a value of σ_S = 1 assumed in each case. In practice 12 , σ_S values are obtained from the experimental results in order to obtain agreement between the theoretically predicted profiles and those actually measured. This has been done in Figure 9 which shows a comparison of dipole model and experimental results for a particular slot and for both residual and active magnetization conditions. In both cases the experimental peak values have been substituted into equation 2 for σ_S in order to obtain the plots.

The active magnetization case has also been included here because the dipole model, although developed initially for residual magnetization conditions ¹⁷, has also been used to model field/defect interactions with direct current excitation.


Computer code generated to produce the dipole model leakage field profiles from equations 1 and 2 is given as Appendix A. The program is self-explanatory with regard to the required input parameters and can be used to predict the leakage fields around rectangular slots. MAPA is a plotting routine available on Colorado State University's CDC 6400 computer system.






Leakage field profiles predicted by dipole modeling for rectangular slots of constant width (0.125") and varying depth Figure 7.

Tangential field component, H Vertical field component, H Peak-to-peak H magnitude versus depth C & &





6 G C C

Figure 8.

0.275

0.125

0.075 Width (inches)

0.025




Figure 9. Comparison of dipole model predictions and experimental results for the $(0.125" \times 0.2")$ slot.

- a) Residual leakage field profiles after 250 amps excitation.
- b) Active leakage field profiles with 250 amps excitation.

Finite Element Modeling


Although considerable work has been done to develop closed form mathematical solutions for the prediction of leakage fields around defects in the case of dc²⁴ and ac^{25,26} excitation conditions, the results do not lend themselves well to the general approach to defect characterization called for in the introduction. The primary reason for this is that, although the equations governing the electromagnetic field/defect interactions are readily obtainable in a poissonian partial differential equation form, the nonlinear magnetization characteristics of ferromagnetic materials and complex defect geometrics found in practice prevent closed form solutions from being obtained for anything but the simplest conditions.

Developments in numerical analysis technques have had a significant impact on the study of magnetic flux distributions in electrical machine- y^{27-31} and the principal investigator strongly suggests that such analysis techniques could have a similar impact on the problem of defect characterization schemes for electromagnetic methods of nondestructive testing. In the case of a ferromagnetic bar carrying a dc magnetization current the vector potential, A in the region is related to the current density, J and reluctivity (H/B), ν by the equation

$$\frac{\partial}{\partial \mathbf{x}} \left(v \frac{\partial \mathbf{A}}{\partial \mathbf{x}} \right) + \frac{\partial}{\partial \mathbf{y}} \left(v \frac{\partial \mathbf{A}}{\partial \mathbf{y}} \right) = -\mathbf{J} \tag{3}$$

assuming that the bar is at the center of an unconventional coordinate axis system and carrying current in the positive z direction. The finite element analysis approach to solving equation 3 is based on:

1. Discretizing the region of interest, R, into triangular elements.



Mesh generation for the finite element modeling of leakage fields around rectangular slots in a ferromagnetic bar. Figure 10.

- Gross mesh.
- b) "Zoom-in" region.




Figure 11. Hand generated mesh for detailed study of leakage fields around small slots 38 .

2. Minimizing an energy functional, in this case

$$W = \iint_{R} [\int_{0}^{B} vbdb] dxdy - \iint_{R} JAdxdy$$
 (4)

over the discretized region to yield a set of equations for the vector potential at each node of the form

$$A_{\text{node}} = f(J, v, A_{\text{adjacent nodes}}, x, y)$$
 (5)

 Solving the nodal vector potential equations by matrix inversion or iterative techniques.

The finite element code given as Appendix B is based directly on Anderson's method³². Discussions of energy functionals, convergence, mesh subdivision and B/H curve modeling can be found in references 33 to 37. The code is self explanatory with regard to the required input data and consists of three distinct parts:

- 1. Mesh generation algorithm (B.1)
- 2. Element ordering algorithm (B.2)
- Vector potential and flux density calculation algorithm (B.3)

This format allows maximum flexibility to examine a wide variety of geometries although the three parts could be run together if needed.


In examining the leakage field around relatively small slots in the surface of a square ferromagnetic bar it is possible to "zoom in" on the region of interest by making two runs with the computer code. First, a mesh is generated as in Figure 10a) for the square bar and a surrounding air region of sufficient size that the vector potential, A, is zero on the outer boundary. The boundary can be found experimentally, using a gaussmeter, or by a trial-and-error approach, applying the computer code several times until no further change in A is observed

with changes in outer boundary position. After calculating the vector potential at every node within this mesh, the "zoom in" region around the defect is chosen, as shown in Figure 10b), with the vector potentials on the region perimeter serving as boundary conditions for the second run. Some form of linear interpolation must be used to find all nodal A values for this second run, or a hand-generated mesh could be used similar to the one shown in Figure 11. This technique was used by Hwang and Lord for a variety of defect shapes and, based on the results, a defect characterization scheme was proposed for electromagnetic methods of nondestructive testing relying on active dc magnetization conditions ³⁸⁻⁴⁰. The results shown in Figure 13 were obtained using the mesh of Figure 12 and the computer program listed as Appendix B.3.


Discussion

In order to develop defect characterization schemes for electromagnetic methods of nondestructive testing, a flexible mathematical model is needed to predict magnetic field/defect interactions under the constraints of nonlinear operating conditions and awkward boundary shapes. Although the dipole model predicts the shape of leakage field profiles around rectangular slots in ferromagnetic materials, the underlying linearizing assumptions associated with the technique prevent its use as the basis for defect characterization schemes.

Finite element analysis techniques have been applied with success to the prediction of magnetic fields in electrical machines and this



Modified computer generated mesh for results of Figure 13. Inset shows slot node numbering detail. Figure 12.



a)

Figure 13.

Finite element results for the leakage field around the $(0.125" \times 0.2")$ slot in a ferromagnetic bar carrying 250 amps. Probe lift-off = 0.052".

a) B component.

Distance (inches)

9.0

- b) B, (normal) component.
 - c) $B = (B_x^2 + B_y^2)^{\frac{1}{2}}$.

technical report shows how they can be used to predict leakage fields around slots in ferromagnetic materials excited with a dc magnetization current. Certain assumptions do have to be made with regard to the location of the zero vector potential boundary, discretization and B/H curve model, but on the whole, finite element techniques are sufficiently flexible and accurate to be applied to the defect characterization or "inverse" problem.

With regard to extending the techniques to other forms of excitation, the following comments are offered:

Residual leakage fields exist around defects in ferromagnetic materials after initial magnetization with a dc current, causing regions around the defect to behave as permanent magnets working in the second quadrant of the material's B-H loop represented by region BC in Figure 1. Some work has been done in studying flux distributions in permanent magnet machines using numerical analysis techniques 41-44 which could be applied to the modeling of leakage field profiles. Experimental studies of the residual fields within slots in ferromagnetic materials are being carried out by the authors at Colorado State University to define in detail the permanent magnet behavior of the material in the vicinity of the slot. The results will provide needed modeling data for the finite element program which in this case provides an approximate solution for the equation

$$\frac{\partial}{\partial x} \left(v \frac{\partial A}{\partial x} \right) + \frac{\partial}{\partial y} \left(v \frac{\partial A}{\partial y} \right) = J_{m} \tag{6}$$

where $J_{\rm m}$ is similar to the current density term of equation 3, but in this case models the behavior of the permanent magnet material 43 .

Eddy currents and their associated fields set up by an ac excitation current, react with a defect to produce an effective change in the impedance of a pick-up coil scanning above the surface of the material under test. In this case the material in the vicinity of the defect is cycled through a complete B-H loop (ABCDEA in Figure 1) and the governing equation to be solved by numerical techniques is of the form

$$\frac{\partial}{\partial \mathbf{x}} \left(v \frac{\partial \mathbf{A}}{\partial \mathbf{x}} \right) + \frac{\partial}{\partial \mathbf{y}} \left(v \frac{\partial \mathbf{A}}{\partial \mathbf{y}} \right) = \mathbf{i} \sigma \omega \mathbf{A} - \mathbf{J}_{\mathbf{S}}$$
 (7)

where J_s is the imposed current density, ω is the angular frequency and σ the conductivity of the material. This type of equation has recently been solved for electrical machine applications $^{45-50}$ using finite difference and finite element analysis and such techniques could also be used to study basic eddy current phenomena associated with electromagnetic methods of nondestructive testing.

Although equations 3, 6 and 7 are given in two dimensional form, recent work 51,52 would indicate that three dimensional solutions may be available in the future.

References

- Bray, D. E. "Railroad Accidents and Nondestructive Inspection." Presented at the ASME Winter Annual Meeting, Paper No. 74-WA/RT-4, November 17, 1974.
- Darcy, G. "Economic Motivation and Potential Impact of NDE in DOD, Proceedings of the Interdisciplinary Workshop for Quantitative Flaw Definition." AFML publication TR-74-238, June 1974, pp. 68-84.
- 3. Knight, S. R. "NDT for Nuclear Power." Materials Evaluation, May 1973, pp. 19-24.
- 4. Dau, G. J. "Rationale for Inservice Inspection During Nuclear Power Plant Design/Fabrication." Presented at the American Nuclear Society 23rd Annual Meeting, New York, June 1977.
- 5. Thompson, R. B. "Overview of the ARPA/AFML Program for Quantitative Flaw Definition." Proceedings of the ARPA/AFML Review of Progress in Quantitative NDE, AFML publication TR-77-44, September 1977, pp. 109-115. (Several papers relating to this work appeared in the first edition of the quarterly Research Supplement to Materials Evaluation, April 1977).
- Adler, L. and Lewis, D. K. "Models for the Frequency Dependence of Ultrasonic Scattering from Real Flaws." ibid., pp. 180-186
- Krumhansl, J. A. "Interpretation of Ultrasonic Scattering Measurements by Various Flaws from Theoretical Studies." ibid., pp. 164-172
- 8. Mucciardi, A. N. "Adaptive Nonlinear Modeling for Ultrasonic Signal Processing," Proceedings of the Interdisciplinary Workshop for Quantitative Flaw Definition. AFML publication TR-74-238, June 1974, pp. 194-212.
- 9. Stumm, W. "Multiparameter-Methoden in der zerstörungsfreien Werkstoffprüfung" Materialprüfung. Vol. 19, April 1977, pp. 131-136.
- Sukhorukov, V. V., Ullitin, Y. M., Chernov, L. A. "Feasibility of Determining Defect Parameters by Eddy Current Modulation Defectoscopy," Defektoskopiya. No. 1, January-February, 1977, pp. 7-14.
- 11. Lord, W. and Oswald, D. J. "Leakage Field Methods of Defect Detection," International Journal of NDT. Vol. 4, 1972, pp. 249-274.
- 12. Shcherbinin, V. E., and Zatsepin, N. N. "Calculation of the Magneto-static Field of Surface Defects, II. Experimental Verification of the Principal Theoretical Relationships." Defektoskopiya, No. 5, September-October, 1966, pp. 59-65.
- 13. Lankford, J., and Francis, P. H. "Magnetic Field Perturbation Due to Metallurgical Defects." International Journal of Nondestructive Testing, Vol. 3, 1971, pp. 77-94.

- Lord, W., and Oswald, D. J. "The Generated Reaction Field Method of Detecting Defects in Steel Bars." Materials Evaluation, Vol. 29, No. 2, February 1971, pp. 21-28.
- 15. Vlasov, V. V. and Volkov, B. I. "Applied Eddy Current System Having a Hall Plate as the Searcher and Reacting to the Tangential Component of the Defect Field." Defektoskopiya, No. 1, January-February, 1977, pp. 84-90.
- Shiraiwa, T., et. al. "An Automatic Magnetic Inspection Method Using Magnetoresistive Elements and its Application." Materials Evaluation, May 1973, pp. 90-96.
- 17. Zatsepin, N. N. and Shcherbinin, V. E. "Calculation of the Magneto-static Field of Surface Defects. I. Field Topography of Defect Models." Defektoskopiya, No. 5, October 1966, pp. 50-59.
- 18. Shcherbinin, V. E., and Pashagin, A. I. "Influence of the Extension of a Defect on the Magnitude of its Magnetic Field." Defektoskopiya, No. 4, July-August 1972, pp. 74-82.
- Novikova, I. A., and Miroshin, N. V. "Investigation of the Fields of Artificial Open Flaws in a Uniform Constant Magnetic Field." Defektoskopiya, No. 4, July-August 1973, pp. 95-101.
- Burtsev, G. A., and Fedorishcheva, E. E. "Simple Approximation for the Magnetostatic Fields of Surface Defects and Inhomogeneities." Defektoskopiya, No. 2, March-April 1974, pp. 111-119.
- Shcherbinin, V. E., and Pashagin, A. I. "Polarization of Cracks in Nonuniformly Magnetized Parts." Defektoskopiya, No. 3, May-June 1974, pp. 17-23.
- 22. Shcherbinin, V. E., and Pashagin, A. I. "On the Volume Polarization of Cracks." Defektoskopiya, No. 4, July-August 1974, pp. 106-110.
- 23. Domashevskii, B. N., and Geiser, A. I. "Polarization of Cracks when Magnetized in a Longitudinal Alternating Field." Defektoskopiya, No. 2, March-April 1976, pp. 89-95.
- 24. Kolodii, B. I., and Teterko, A. Y. "Determination of the Transverse Magnetostatic Field of a Cylinder with an Eccentric Cylindrical Inclusion." Defektoskopiya, No. 3, May-June 1976, pp. 44-51.
- Burrows, M. "Theory of Eddy-Current Flaw Detection." Ph.D. Thesis, University of Michigan, University Microfilms, Inc., Ann Arbor, Michigan.
- 26. Dodd, C. V., et. al. "Some Eddy Current Problems and their Integral Solutions." Oak Ridge National Laboratory Report 4384, Contract No. W-7405-eng-26, Oak Ridge, Tennessee, April 1969.

- 27. Winslow, M. A. "Numerical Solution of the Quasilinear Poisson Equation in a Nonuniform Triangle Mesh." Journal of Computational Physics, Vol. 2, 1967, pp. 149-172.
- 28. Erdelyi, E. A., et. al. "Nonlinear Magnetic Field Analysis of dc Machines." IEEE Transactions on Power Apparatus and Systems, Vol. 89, 1970, pp. 1546-1583.
- 29. Chari, M. V. K., and Silvester, P. "Finite Element Analysis of Magnetically Saturated dc Machines." IEEE Transactions on Power Apparatus and Systems, Vol. 90, 1971, pp. 2362-2372.
- 30. Anderson, O. W. "Transformer Leakage Flux Program Based on the Finite Element Method." IEEE Transactions on Power Apparatus and Systems, Vol. 92, 1973, pp. 682-689.
- 31. Lord, W., and Hwang, J. H. "Leakage Field Analysis of Magnetic Circuits by Variational Methods." Proceedings of the Fourth Annual Symposium on Incremental Motion Control Systems and Devices, University of Illinois, April 1975, pp. P1-P9.
- 32. Anderson, O. W. "Iterative Solution of Finite Element Equations in Magnetic Field Problems." Conference paper C72 425-7, IEE PES Summer Meeting, San Francisco, July, 1972.
- 33. Brauer, J. R. "Saturated Magnetic Energy Functional for Finite Element Analysis of Electric Machines." Conference paper C75 151-6, IEEE PES Winter Meeting, New York, January 1975.
- 34. Carol, B. A. "The Determination of the Optimum Acceleration Factor for Successive Over-relaxation." Computer Journal, Vol. 4, 1961, pp. 73-78.
- 35. Lord, W., and Hwang, J. H. "Convergence and Mesh Subdivision for Finite Element Analysis of Non-linear Magnetic Fields." International Journal of Computers and Electrical Engineering, Vol. 1, No. 4, 1974, pp. 513-520.
- 36. Fischer, J., and Moser, H. "Die Nachbildung von Magnetisierungskurven durch einfache algebraische oder transzendente Funktionen." Archiv für Elektrotechnik, Vol. 42, No. 5, 1956, pp. 286-299.
- 37. Trutt, F. C., et al. "Representation of the Magnetization Characteristic of dc Machines for Computer Use." IEEE Transactions on Power Apparatus and Systems, Vol. 87, March 1968, pp. 665-669.
- 38. Lord, W., and Hwang, J. H. "Finite Element Modeling of Magnetic Field/Defect Interactions." ASTM Journal of Testing and Evaluation, Vol. 3, No. 1, January 1975, pp. 21-25.
- 39. Hwang, J. H., and Lord, W. "Magnetic Leakage Field Signatures of Material Discontinuities." Proceedings of the Tenth Symposium on Nondestructive Evaluation, San Antonio, April 1975, pp. 63-76.
- 40. Lord, W., and Hwang, J. H. "Defect Characterization from Magnetic Leakage Fields." British Journal of Nondestructive Testing, Vol. 19, No. 1, January 1977, pp. 14-18.

- 41. Reichert, K. "The Calculation of Magnetic Circuits with Permanent Magnets by Digital Computers." IEEE Transactions on Magnetics, Vol. 6, No. 2, June 1970.
- 42. Kamminga, W. "Finite Element Solutions for Devices with Permanent Magnets." Journal of Physics D: Applied Physics, Vol. 8, 1975, pp. 841-855.
- 43. Binns, H. J., et. al. "Computation of the Magnetic Field of Permanent Magnets in Iron Cores." Proceedings IEE, Vol. 122, No. 12, December 1975, pp. 1377-1381.
- 44. Lord, W. "Permanent Magnet Modelling for Machine Applications." COMPUMAG Proceedings, Rutherford Laboratory, Oxford, 1976, pp. 198-204.
- 45. Chari, M. V. K. "Finite Element Solution of the Eddy Current Problem in Magnetic Structures." IEEE Transactions on Power Apparatus and Systems, Vol. 93, No. 1, January-February 1974, pp. 62-72.
- 46. Stoll, R. L. "The Analysis of Eddy Currents." Clarendon Press, Oxford, 1974.
- 47. Sato, T., et. al. "Calculation of Magnetic Field Taking into Account Eddy Current and Nonlinear Magnetism." Electrical Engineering in Japan, Vol. 96, No. 4, 1976, pp. 96-102.
- 48. Brauer, J. R. "Finite Element Analysis of Electromagnetic Induction in Transformers." Presented at the IEEE Winter Power Meeting, New York, January 1977.
- 49. Anderson, O. W. "Finite Element Solution of Skin Effect and Eddy Current Problems." Presented at the IEEE PES Summer Meeting, Mexico City, July 1977.
- 50. Chari, M. V. K., and Csendes, Z. J. "Finite Element Analysis of the Skin Effect in Current Carrying Conductors." IEEE Transactions on Magnetics, Vol. 13, No. 5, September 1977, pp. 1125-1127.
- 51. Guancial, E., and DasGupta, S. "Three Dimensional Finite Element Program for Magnetic Field Problems." IEEE Transactions on Magnetics, Vol. 13, No. 3, May 1977, pp. 1012-1015.
- 52. Zienkiewicz, O. C., et. al. "Three Dimensional Magnetic Field Determination Using a Scalar Potential - A Finite Element Solution." IEEE Transactions on Magnetics, Vol. 13, No. 5, September 1977, pp. 1649-1656.

Appendix A

Dipole modeling code for rectangular slots.

C C

C

C

C C

C

C

C

C

C C

C

C

C

C

C

C

00000000

C C C

C

C

C

C

C

C

C

C

C

C

C C

C C C C

1

C C ******** C

PROGRAM DIPOL3 CALCULATES THE MAGNETIC FIELD AROUND A RECTANGULAR DEFECT. USING A STRIP DIPOLE MODEL.

THE REQUIRED INPUT CONSISTS OF THE FOLLOWING DATA.

.... (SIGMA) IS A SCALING CONSTANT USED TO DESCRIBE THE LINEAR DENSITY OF THE MAGNETIC CHARGE ALONG THE SURFACE OF THE DEFECT.

....(Y) DESCRIBES THE LIFT-CFF IN INCREMENTS OF (IN(R).

.... (IDATA) SPECIFIES THE TOTAL NUMBER OF DEFECTS EXAMINED.

....(MIN) AND (MAX) ARE THE MINIMUM AND MAXIMUM FOINTS TO BE SPECIFIED TO EITHER SIDE OF THE CENTER OF THE DEFECT. SPACING BETWEEN POINTS IS (INCRX).

....(H1) AND (W) ARE THE CEPTH AND WIDTH MEASUREMENTS OF THE DEFECT (IN UNITS OF (INCR)).

....A CROSS-SECTION OF THE RECTANGULAR SLOT IS SHOWN BELOW.

******** H1

THE OUTPUT INCLUDES THE MAXIMUM VALUES FOUND FOR THE MAGNETIC FIELD IN BOTH THE X AND Y DIRECTIONS ((BX) AND (BY), RESPECTIVELY), THE VALUES USED FOR (SIGMA), (MIN), (MAX), (Y), AND (INCR), AND THE PER UNIT VALUES USED FOR EACH DEFECT. THIS PROGRAM ALSO PRODUCES MICROFILM PLOTS OF THE MAGNETIC FIELD VALUES (BX), (BY), AND (BT) AT A SPECIFIED LIFT-OFF. (BT) IN THIS CASE IS THE TOTAL MAGNETIC FIELD, DEFINED AS

BT=(BX**2+BY**2)**0.5. PLOTS OF PEAK TO PEAK (BY) VALUES VERSUS DEFECT DEPTH AND WIDTH ARE SHOWN NEXT, ACCOMPANIED BY TABLES LISTING THE VALUES USED IN ALL THE PLOTS.

******** ********

DIMENSION

1 HX (5,241), HY (5,241), HXY (5,241), XX (241)

2 ,H1(5),H(5),W(5),B(5)

3 ,H2(241),H3(241),H4(241),H5(241),H9(241)

,HY4(5),HY5(5),XY1(5),XY2(5)

, MTIT(8), MTI2(8), MTI3(8)

REAL INCR , INCRX

INTEGER XT(8), YT(8), XXT(8), YTT(8), XTT(8)

.7+1H / 1 XT/10HX DIST(IN),7*1H /,YT/8*1H /,XXT/10HDEPTH .7*1H /

2 .YTT/10HP-P

,7*1H /,YTT/10HWIDTH

```
C-
     -DATA INPUT
      READ(5, 100) SIGMA
      READ (5,101) Y, INCR, INCRX
      READ (5,102) IDATA, MIN, MAX
      READ (5,103) (H1(I),W(I),I=1,IDATA)
C
C-
     INITIALIZATION OF VARIABLES
C
      HY 3=0.0
      HX3=0.0
      MA=-MIN+MAX+1
      N=0
      Y=Y*INCR
      DO 200 I=1, IDATA
      HY4(I)=0.0
      HY5(I)=0.0
      H(I)=0.0
      B(I)=0.0
200
      CONTINUE
C----CALCULATATION OF BX AND BY
C
      DO 250 I=1, IDATA
       H(I)=H1(I)*INCR
       B(I) = (W(I)/2) * INCR
      DO 250 M=1.MA
        XX(M) = (FLOAT (M-1+MIN) *INCRX)
C
        X1=XX(M)
      D1 = ((X1+B(I))**2) + (Y*(Y+H(I)))
      D2=((X1=B(I))++2)+(Y+(Y+H(I)))
      HX1 = ATAN((H(I) * (X1 + B(I)))/C1)
      HX2 = ATAN((H(I) * (X1 - B(I)))/D2)
      HX(I,M) = 2*SIGMA*(HX1=HX2)
C
        IF(HX(I,M).GE.HX3.AND.HX(I,M).GT.0.0) HX3=HX(I,M)
      D3=((X1+B(I))**2+(Y+H(I))**2)*((X1=B(I))**2+Y**2)
      D4=((X1+B(I))**2+Y**2)*((X1=B(I))**2+(Y+H(I))**2)
      HY(I,M)=SIGMA*ALOG(D3/D4)
        IF (HY (I, M) . GE . HY3 . AND . HY (I, M) . GT . O . D) HY3=HY (I, M)
        IF (HY(I,M).LE.HY4(I).OR .HY(I,M).LT.0.0) GO TO 230
        HY4(I)=HY(I,M)
        XY1(I)=X1
        GO TO 240
 230
        CONTINUE
        IF(HY(I,M).GE.HY5(I).OR .HY(I,M).GT.0.0) GO TO 240
        HY5(I)=HY(I,M)
        XY2(I)=X1
240
        CONTINUE
250
      CONTINUE
```

```
--- CALCULATION OF UNIT VALUES
C
       DO 260 I=1.IDATA
       XMAX=ABS (HX3)
       YMAX=ABS (HY3)
        HY4(I)=HY4(I)/YMAX
        HY5(I)=HY5(I)/YMAX
       DO 260 J=1.MA
         XAMX\setminus (L,I)XH=(L,I)XH
         XAMY \setminus (L, I) YH = (L, I) YH
         HXY(I,J)=SQRT((HX(I,J))**2+(HY(I,J))**2)
 260
      CONTINUE
C---PRINT OUTPUT
       WRITE (6,110) HX3, HY3
       WRITE (6,112) SIGMA, MIN, MAX
       WRITE (6,113) Y
       WRITE (6,114) INCR
       DO 270 J=1.IDATA
       WRITE (6,111) J, IDATA
       WRITE (6,115) W(J)
       WRITE (6,116) H1(J)
 270
      CONTINUE
     -PLOTS AND DATA
C
C
 267
       DO 300 J=1. IDATA
       DO 300 M=1, MA
       GO TO (277,278,279,280, 284),J
 277
      H2(M)=HX(J.M)
       GO TO 300
 278
      H3(M)=HX(J,M)
       GO TO 300
       H4(M)=HX(J,M)
 279
       GO TO 300
      H5(M)=HX(J,M)
 280
       GO TO 300
      H9 (M) = HX (J, M)
 284
 300
      CONTINUE
       READ (5.109) MTIT
       CALL MAPA (7, XX, H2, 1, 241, HL, NH, VL, VH, 10HX DIST(IN), 1H , MTIT, 1)
       CALL MAPA (7,XX,H3,1,241,WL,WH,VL,VH,10HX DIST(IN),1H ,MTIT,1)
       CALL MAPA (7, XX, H4, 1, 241, WL, WH, VL, VH, 10HX DIST(IN), 1 F, MTIT, 1)
       CALL MAPA (7, XX, H5, 1, 241, WL, WH, VL, VH, 10HX DIST(IN), 1H , MTIT, 1)
       CALL MAPA (7, XX, H9, 1, 241, WL, WH, VL, VH, 10HX DIST(IN), 1H , MTIT, 1)
C
C----PRINT FILM PLOTS
C
       CALL MAPM (6, XX, H2, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (6, XX, H3, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (6, XX, H4, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (6, XX, H5, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (6, XX, H9, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (1, XX, H9, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (2, XX, H2, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (2,XX,H3,1,241,WL,WH,VL,VH,XT,YT,MTIT,1)
       CALL MAPM (2, XX, H4, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (2, XX, H5, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (2, XX, H9, 1, 241, WL, WH, VL, VH, XT, YT, MTIT, 1)
       CALL MAPM (4,XX,H9,1,241,WL,WH,VL,VH,XT,YT,MTIT,1)
```

```
C
      N=N+1
      GO TO (350,351,352),N
      DO 360 J=1, IDATA
 350
      DO 360 M=1,MA
 360
      (M,L)YH=(M,L)XH
      GO TO 267
 351
      DO 361 J=1, IDATA
      DO 361 M=1, MA
 361
      (M, L) YXH = (M, L) XH
      GO TO 267
 352
      CONTINUE
      DO 400 I=1, IDATA
      HY4(I)=HY4(I)+ABS(HY5(I))
 400
      CONTINUE
      READ(5, 109) MT12
      CALL MAPA (7, H1, HY4,1,5, WL, WH, VL, VH, 5HDEPTH, 3HP-P, MTI2,1)
      CALL MAPA (5, H1, HY 4, 1, 5, WL, WH, VL, VH, 5HDEPTH, 3HP-P, MTI 2, 1)
      CALL MAPM (5, H1, HY4, 1, 5, WL, WH, VL, VH, XXT, YIT, MTI2, 1)
 450
      CONTINUE
      READ (5,109) MTI3
      CALL MAPA (7, W, HY4,1,5, WL, WH, VL, VH, 5HWIDTH, 3HP-P, MTI3,1)
      CALL MAPA (5, W, HY4,1,5, WL, WH, VL, VH, 5HWIDTH, 3HP=P, MTI3,1)
      CALL MAPM (5, W, HY4, 1, 5, WL, WH, VL, VH, XTT, YTT, MTI3, 1)
 500
     STOP
C---FORMAT STATEMENTS
C
     FORMAT (5X, F5.2)
 100
      FORMAT (5X, 2F5.3, F10.8)
 101
      FORMAT (5X.315)
 102
 103
      FORMAT (5x, 2F5.2)
 104
      FORMAT (I10)
 109
      FORMAT (8A10)
      FORMAT (1H1,5X,23HMAX VALUES FOUND FOR HX,F10.4,3X,6FFOR HY,F10.4)
 110
 111
      FORMAT (////,5x,10HDATA ENTRY,2x,12,2x,2HOF,15)
      FORMAT (/,5x,7HSIGMA =,F5.2,6x,15HX (MIN./MAX.) =,I5,1H/,I5)
 112
      FORMAT (/,5x,36HDISTANCE ABOVE THE SURFACE DEFECT IS,2x,F5.3,2x,3H
 113
     1 IN.)
     FORMAT (/,5x,33HTHE DEFECT DIMENSION, IN UNITS OF,2x,F5.3,2x,3HIN.
 114
     1)
 115
     FORMAT (/, 42X.F5.2)
      FORMAT (30X, 11H========, 7X, 11H========, 3(/, 40X, 1H*, 7X, 1H*), 2
     1x,F5.2,2(/,40x,1H+,7x,1H+),/,40x,9H------)
      END
```

Appendix B

Finite element modeling code.

- 1. Mesh generation
- 2. Element ordering
- 3. Vector potential and flux density calculation

1 PROGRAM MESH (INPUT, OUTPUT, PUNCH, FILMPL, TAPE5=INPUT, TAPE6=OUTPUT, 1TAPE8=PUNCH) C C ******** C C PROGRAM MESH GENERATES A PLANAR TWO-DIMENSIONAL TRIANGULAR ELEMENT C STRUCTURE WITHIN THE SYMMETRICAL BOUNDARY SHAPE SPECIFIED BY EIGHT C GIVEN BOUNDARY POINTS. C C IN THE ORDER OF READING, THE FCLLOWING INPUT DATA IS REQUIRED. CINITAP AND INITEL ARE THE INITIAL NUMBERING VALUES C FOR THE NODAL POINTS AND ELEMENTS RESPECTIVELY, C USUALLY 1.1. C NDIVX AND NDIVY ARE THE NUMBER OF ELEMENTAL C DIVISIONS ALONG THE X AND Y AXES RESPECTIVELY. CXCOR AND YCOR ARE THE (X,Y) COORDINATES OF THE C EIGHT DEFINING BOUNDARY FOINTS FOR THE GIVEN SHAPE. CXMIN, XMAX, YMIN, YMAX ARE THE MINIMUM AND MAXIMUM C VALUES OF X AND Y ASSOCIATED WITH THE GIVEN SHAPE. C (XMAX - XMIN) SHOULD BE EQUAL TO (YMAX - YMIN). C C OUTPUT DATA INCLUDES THE TOTAL NUMBER OF NODE POINTS, THE TOTAL C NUMBER OF ELEMENTS, A LISTING OF THE (X,Y) COORDINATES FOR EACH C NODE POINT AND THE NODE POINTS DEFINING EACH ELEMENT, TOGETHER C WITH A PLOT OF THE MESH STRUCTURE. C C ******** ******** C DIMENSION XCOR(8), YCOR(8), RN(8), XORD(1250), YORD(1250), NP(2360,3) C C READ AND INITIALIZATION OF DATA READ(5,1) INITAP, INITEL WRITE (6,2) WRITE (6,1) INITNP, INITEL C READ(5, 3) NDIVX, NDIVY WRITE (6,4) WRITE(6,3)NDIVX,NDIVY C READ(5,5) (XCOR(I), YCOR(I), I=1,8) WRITE (6.6) WRITE(6,5)(XCOR(I), YCOR(I), I=1,8) C READ(5.7) XMIN, XMAX, YMIN, YMAX WRITE (6.8) WRITE(6.7) XMIN. XMAX, YMIN. YMAX C NUMNP=(NDIVX+1)*(NDIVY+1) NUMEL=2*(NDIVX)*(NDIVY) WRITE (6.13) NUMNP . NUMEL C C CALCULATE NODAL POINT COORCINATES DX=NDIVX DX=1./DX DY=NDIVY DY=1./DY C IENO=NDIVY+1 JEND=NDIVX+1 J1=0

```
C
      DO 250 I=1, IEND
      R=(I-1)
      RY=R*DY
C
      00 240 J=1, JEND
      P=(J=1)
      RX=R*DX
      J1=J1+1
      RN(1)=1.0*(1.-RX)*(1.-RY)*(1.-2.*RX-2.*RY)
      RN(2)=4.0*(RX)*(1.-RX)*(1.-RY)
      RN(3)=-1.0+(RX)+(1.-RY)+(1.-2.+RX+2.+RY)
      RN(4) = 4.0*(RX)*(RY)*(1.-RY)
      RN(5)=-1.*(RX)*(RY)*(3.-2.*RX-2.*RY)
      RN(6)=4.*(RX)*(1.-RX)*(RY)
      RN(7)=-1.*(1.-RX)*(RY)*(1.+2.*RX-2.*RY)
      RN(8)=4.0*(1.-RX)*(RY)*(1.-RY)
C
      XORD(J1)=0.
      YORD (J1)=0.
C
      DO 230 K=1.8
      XORD(J1) = XORD(J1) +RN(K) *XCCR(K)
      YORD(J1)=YORD(J1)+RN(K)*YCCR(K)
  230 CONTINUE
  240 CONTINUE
  250 CONTINUE
C
C
      CALCULATE NP ARRAY
C
      I2=0
C
      DO 340 I=1, NDIVY
C
      J1 = (I-1) * (NDIVX+1) + 1
C
      DO 330 J=1,NDIVX
      I2=I2+2
      I1=I2-1
      J2=J1+1
      J4=J1+(NDIVX+1)
      J3=J4+1
C
      D1 = (XORD(J3) = XORD(J1)) **2 + (YORD(J3) = YORD(J1)) **2
      D2=(XORD(J4)-XORD(J2)) **2+(YORD(J4)-YORD(J2)) **2
C
      IF (01.GT.D2) GO TO 320
C
      NP(I1, 1)=J1
      NP(I1,2)=J3
      NP(11,3)=J4
      NP(12,1)=J1
      NP(12,2)=J2
      NP(12,3)=J3
C
      GO TO 329
  320 CONTINUE
```

```
C
      NP(I1,1)=J1
      NP(I1,2)=J2
      NP(I1, 3)=J4
      NP(12,1)=J2
      NP(12,2)=J3
      NP(12, 3)=J4
C
  329 CONTINUE
      J1=J2
  330 CONTINUE
  340 CONTINUE
      00 1001 I=1. NUMEL
      DO 1001 J=1,3
      NP(I,J)=NP(I,J)+INITNP-1
 1001 CONTINUE
C
      WRITE STATEMENT
C
      WRITE (6, 9)
      IFAC=INITNP-1
      DO 420 I=1, NUMNP
      I1=I+IFAC
C
      WRITE(6,10) I1, XORD(I), YORD(I)
      WRITE (8,14) I1, XORD (I), YORD (I)
  420 CONTINUE
C
      WRITE(6,11)
      IFAC=INITEL-1
      DO 440 I=1, NUMEL
      I1=I+IFAC
      WRITE (6, 12) I1, (NP(I, J), J=1,3)
      WRITE(8,15) I1, (NP(I,J),J=1,3)
  440 CONTINUE
C
C
      PLOT ROUTINE
C
      CALL SET(0.0,1.0,0.0,1.0, XMIN, XMAX, YMIN, YMAX, 1)
C
      DO 480 I=1. NUMEL
C
      I1=NP(I.1)
      12=NP(1,2)
      I3=NP(I,3)
C
      CALL POINT (XORD(I1), YORD(I1))
      CALL VECTOR(XORD(12), YORD(12))
      CALL VECTOR(XORD(13), YORD(13))
      CALL VECTOR(XORD(I1), YORD(I1))
  480 CONTINUE
```

```
C
      CALL FRAME
      STOP
CCC
      FORMAT STATEMENTS
    1 FORMAT(2110)
    2 FORMAT(20H1
                     INITHP
                                INITEL)
    3 FORMAT(2110)
    4 FORMAT(20HO
                      NDIVX
                                 NEIVY
    5 FORMAT (2F10.4)
    6 FORMATIZOHO
                       XCOR
                                  YCOR)
    7 FORMAT(4F10.4)
                                             MINY
    8 FORMAT(40HO
                       MINX
                                  XMAX
                                                       YMAX)
    9 FORMATISOHO
                        NP
                                  XORD
                                             YORDI
   10 FORMAT(I10,2F10.4)
                                 NP(1)
                                           NP(2)
                                                      NP(3))
   11 FORMAT (40HO
                       ELEM
   12 FORMAT(4110)
   13 FORMAT(* NUMNP=*,15,*
                                   NUMEL = * , I5)
   14 FORMAT(I10, 20x, 2F10.4)
   15 FORMAT(I10,10X,3I10)
      END
```

```
PROGRAM ELANP LISTS THE ELEMENTS AROUND EACH NODE POINT INSIDE THE
      GIVEN BOUNDARY SHAPE.
C
      INPUT DATA REQUIRED FOR THE PREGRAM INCLUDES.....
      .... NUMEL, NST, NED ARE THE TOTAL NUMBER OF ELEMENTS
C
          GENERATED FOR THE GIVEN SHAPE BY THE MESH FROGRAM.
          THE NUMBER OF THE FIRST NODE POINT INSIDE THE
          GIVEN BOUNDARY AND THE NUMBER OF THE LAST NODE
          POINT INSIDE THE BOUNDARY RESPECTIVELY.
C
      .... A TOTAL LISTING OF THE NODE POINTS DEFINING EACH
C
          ELEMENT AS GENERATED BY LINES 420 TO 440 OF PROGRAM
C
          MESH.
C
      OUTPUT DATA CONSISTS OF A LISTING OF EACH NODE POINT BETWEEN NST
C
0000000
      AND NED WITH A COUNT OF THE NUMBER OF ELEMENTS AROUND EACH NODE
      POINT AND THEIR IDENTIFICATION.
      THOSE NODE POINTS BETWEEN NST AND NED LYING ON THE BOUNDARY ARE
      IDENTIFIABLE BY A ROW OF ZEROS AFTER THE NOCE NUMBER.
      ********
                                                                  ********
      DIMENSION NOP(20), NP(2360, 3)
    6 FORMAT(I10,10X,3I10)
      FORMAT(3110)
      READ (5,8) NUMEL, NST, NED
      READ(5,6) (N, NP(N,1), NP(N,2), NP(N,3), NN=1, NUMEL)
      M = 0
      DO 42 K=NST.NED
      ICONT=0
      DO 82 IQ=1,14
      NOP(IQ) = 0
   82 CONTINUE
      KL=NST-2
      KK=K/KL
      K1=KK*KL+1
      K2=KK*KL
      IF(K .EQ. K1) GO TO 43
      IF(K .EQ. K2) GO TO 43
      DO 50 KX=1,2
      GO TO (90,92),KX
   90 MS=K-K1+M+(KK-1)+2+(NST-3)
      ME=MS+3
      GO TO 94
   92 MS=MS+2*(NST=3)
      ME=MS+3
   94 CONTINUE
      DO 44 I=MS.ME
      IF(NP(I,1) .EQ. K) GO TO 78
      IF(NP(I,2) .EQ. K) GO TO 78
      IF(NP(I;3) .EQ. K) GO TO 78
      GO TO 44
   78 ICONT=ICONT+1
      NOP (ICONT) = I
   44 CONTINUE
   50 CONTINUE
      M=M+1
      NSSSS=NST=5
      IF (M .GT. NSSSS) M=0
   43 WRITE (6, 80) K, ICONT, (NOP(N), N=1,14)
      WRITE(8, 80) K, ICONT, (NOP(N), N=1,14)
   42 CONTINUE
```

80 FORMAT(1615) STOP

```
C
000000
      ********
                                                                 ********
      PROGRAM POTEN IS A FINITE ELEMENT ALGORITHM WHICH CALCULATES THE
      VECTOR POTENTIAL AT EVERY NODE OF THE REGION DISCRETIZED INTO
      TRIANGULAR ELEMENTS BY PROGRAM MESH.
      POTEN IS BASED ON ANDERSONS EQUATIONS (REF. 32) AND REQUIRES INFUT
C
      DATA FROM BOTH THE MESH AND ELANP PROGRAMS AS WELL AS A MODEL OF
C
      THE B/H CHARACTERISTIC OF THE FERROMAGNETIC MATERIAL AND THE
C
      BARS CURRENT DENSITY.
0000000000000
      IN GENERAL THE PROGRAM HAS TO BE WRITTEN FOR THE PARTICULAR
      GEOMETRY UNDER CONSIDERATION AND THE REQUIRED OUTPUT.
      INPUT DATA REQUIRED INCLUDES --
      ....NUMBGN, NUMDIV DEFINE THE SCANNING PATH FOR THE FLUX DENSITY
           PLOTS
        ... NUMNP, NUMEL ARE THE TOTAL NUMBER OF NODE FOINTS AND ELEMENTS
           RESPECTIVELY
      ....NAROS AND NAROE CORRESPOND TO NST AND NED IN THE ELANP
           PROGRAM
      ....THE LAST THREE READ STATEMENTS REFER TO THE DATA GENERATED
C
           BY MESH AND ELANP PROGRAMS
CCC
      .... RVPER IS THE INVERSE OF THE PERMEABILITY OF FREE SPACE
      .... CURR IS THE BAR CURRENT DENSITY
C
C
      ********
                                                                 ********
C
      DIMENSION NP(1160,3),CJ(1160),RMU(1160),SL(1160,6),MAT(1160)
     1
               ,A(630),XORD(630),YORD(630),AREA(1160),8X(1160),8Y(1160)
     2
               ,B(1160),IEDG(630),IETG(630,8),BXC(50),BYC(50),BC(50)
     3
               ,XX(50)
C
C
      INPUT DATA
C
      READ (5,1) NUMBGN, NUMDIV
      READ (5,2) NUMMP, NUMEL, NAROS, NAROE
      READ(5,4) (N, A(N), XORD(N), YORE(N), NN=1, NUMNP)
      READ(5,6) (N,NP(N,1),NP(N,2),NP(N,3),NN=1,NUMEL)
      READ(5,8)(N, IEDG(N), (IETG(N, I), I=1,8), NN=NAROS, NAROE)
C
      RVPER=795774.7155
      CURR=2.6016E+05
C
C
      SCALING AND ELEMENT CALCULATIONS
C
      DO 20 I=1, NUMNP
      xORD(I) = xORD(I) *. 0254
      YORD(I) = YORD(I) *. 0254
   20 CONTINUE
```

PROGRAM POTEN(INPUT,OUTPUT,FILMPL,TAPE5=INPUT,TAPE6=CUTPUT)

```
C
      DO 38 I=1, NUMEL
      IP=NP(I,1)
      JP=NP(I, 2)
      KP=NP(I.3)
      XJ=XORD(JP)-XORD(IP)
      YJ=YORD (JP) -YORD (IP)
      XK=XORD(KP)-XORD(IP)
      YK=YORD(KP)-YORD(IP)
      AREA(I)=(XJ*YK-XK*YJ)/2.0
      A1=-(YK-YJ)/2.0
      B1=YK/2.0
      C1=-YJ/2.0
      D1=(XK-XJ)/2.0
      E1=-XK/2.0
      F1=XJ/2.0
      SL (I,1) = (A1 *A1+D1 *D1)/AREA(I)
      SL(I,2)=(B1*B1+E1*E1)/AREA(I)
      SL(I,3)=(C1*C1+F1*F1)/AREA(I)
      SL(I,4)=(A1*B1+D1*E1)/AREA(I)
      SL(I,5) = (A1 *C1+D1*F1)/AREA(I)
      SL(I,6)=(B1*C1+E1*F1)/AREA(I)
   38 CONTINUE
C
C
      INITIALIZATION OF AIR AND IRON REGIONS
C
                - CALCULATION OF BAR CURRENT
C
      00 60 I=1 , NUMEL
      RMU(I)=RVPER
      CJ(I)=0.0
      MAT(I) = 0
      CONTINUE
  60
C
      IEBL=301
  66
      CONTINUE
      IEBR=IEBL+23
      DO 67 I=IEBL.IEBR
 661
      CJ(I) = AREA(I) + CURR
 662
      B(I)=1.65
 663
      RMU(I)=2019.66
 664
      MAT(I)=I
      CONTINUE
      IEBL=IEBL+48
      IF (IEBL.LE.852)
                         GO TO 66
   --- CRACK PORTION
      DO 68 I=791,794
      RMU(I)=RVPER
      CJ(I)=0.0
      MAT(I)=0
  68
      CONTINUE
      00 69 I=839,842
      RMU(I)=RVPER
      CJ(I)=0.0
      MAT(I)=0
  69 CONTINUE
```

```
C
      SELECTION OF ACCELERATION FACTOR
C
      ITER=0
      FAC=2.1
      RFAR=0.07
  70
     CONTINUE
      IFLAG=0
      ACK=0.0
      ITER=ITER+1
      IF (ITER.EQ.6) GO TO 71
      FAC=FAC=0.2
      GO TO 72
  71
      FAC=1.0
  72
      CONTINUE
C
      BEGINING OF ITERATION
C
C
      DO 326 KOA=1,40
      DO 42 K=NAROS, NAROE
      IF (IEDG(K))201,42,201
  201 T1=T2=T3=0.0
      ME=IEDG(K)
      DO 44 JJ=1, ME
      I=IETG(K,JJ)
      IF (NP(I,1)-K) 77,78,77
   77 IF(NP(I,2)-K) 79,80,79
   79 IF(NP(I, 3)-K) 44,82,44
   78 IP=1
      JP=4
      KP=5
      I1=NP(I,2)
      I2=NP(I,3)
      GO TO 84
   80 IP=2
      JP=6
      KP=4
      I1=NP(I.3)
      12=NP(1,1)
      GO TO 84
   82 IP=3
      JP=5
      KP=6
      I1=NP(I,1)
      12=NP(1,2)
   84 T1=T1+CJ(I)
      T2=T2+RMU(I) +SL(I.IP)
      T3=T3+RMU(I) + (A(I1) +SL(I, JP) +A(I2) +SL(I, KP))
   44 CONTINUE
      T1=T1/3.0
      AZ=(T1-T3)/T2
      ANEW=A(K)+FAC* (AZ-A(K))
      IF (ABS(A(K)-ANEW).LE.0.0001) GO TO 41
      IFLAG=1
      ACK = ABS (A(K)-ANEW)
      CONTINUE
      A(K) = ANE W
   42 CONTINUE
      KMA=(KOA/2)+2
      IF (KMA .NE. KOA) GO TO 326
```

```
CC
                          CALCULATION OF NEW FLUX DENSITY IN THE MATERIAL
C
                          00 52 I=1, NUMEL
                          IF (MAT(I)=0) 203,52,203
         203 IP=NP(I.1)
                          JP=NP(1.2)
                          KP=NP(I.3)
                          BX(I) = (A(IP) + (XORD(KP) - XORD(JP)) + A(JP) + (XORD(IF) - XORD(KP)) + A(KP) + (KP) + (KP
                      1XORD(JP)=XORD(IP)))/(2.*AREA(I))
                          BY(I) = (A(IP) + (YORD(KP) - YORE(JP)) + A(JP) + (YORD(IP) - YORE(KP)) + A(KP) + (YORE(KP) - YORE(KP) + (YORE(KP) - YORE(KP)
                      2YORD(JP)-YORD(IP)))/(2.*AREA(I))
                          B(I)=SQRT(BX(I) *BX(I) +BY(I) *BY(I))
C
C
                          CALCULATION OF NEW PERMEABILITY USING MCDELEC B/H CURVE
                          IF(B(I)=1.3) 91,91,204
         204 IF(B(I)=1.9) 93,93,205
         205 IF(8(I)-2.2) 95,95,206
         206 IF(B(I)=2.5) 97,97,207
         207 RR1=RVPER
                          GO TO 99
             91 RR1=95.0+240.5576923*B(I)
                          GO TO 99
             93 RR1=B(I) *(89623.82=B(I) *(74098.4562=20369.373*B(I)))=35628.365
                          GO TO 99
             95 RR1=6875.0+61628.78767*(8(I)=1.9)
                          GO TO 99
             97 RR1=25363.6363+179454.5457*(B(I)=2.2)
             99 RMU(I)=RMU(I)+RFAR*(RR1=RMU(I))
             52 CONTINUE
         326 CONTINUE
                          IF (ITER. EQ. 6) GO TO 350
                          IF (IFLAG.EQ.1) GO TO 70
    350
                          CONTINUE
                          WRITE (6,101) ITER, ACK
C
CCC
                          CALCULATION OF NEW FLUX DENSITY IN AIR FORTION
                          DO 3500 I=1, NUMEL
                          IF (MAT(I)=0) 3500,400,3500
     400
                          IP=NP(I,1)
                          JP=NP(1,2)
                          KP=NP(I,3)
                          BX(I)=(A(IP)*(XORD(KP)-XORC(JP))+A(JP)*(XORD(IP)-XCRC(KP))+A(KP)*(
                      1xORD(JP)-xORD(IP)))/(2.*AREA(I))
                          BY(I)=(A(IP)*(YORD(KP)-YORD(JP))+A(JF)*(YORD(IF)-YORD(KP))+A(KP)*(
                      2YORD(JP)-YORD(IP)))/(2.*AREA(I))
     3500 CONTINUE
```

```
CC
      CALCULATION OF MAGNETIC FIELD ABOVE BAR
      ICONT=0
      NUMEND=NUMBGN+ NUMDI V+2-1
      DO 510 I=NUMBGN, NUMEND, 2
 410
      ICONT=ICCNT+1
      BXC(ICONT) = (BX(I) + BX(I+1))/2.
      BYC(ICONT) = (BY(I) + BY(I+1))/2.
      BC(ICONT)=SQRT(BXC(ICONT)*BXC(ICONT)+BYC(ICCNT)*BYC(ICCNT))
        XX(ICONT) = XORD(ICONT)
 510
      CONTINUE
C
C
      OUTPUT DATA AND PLOTS
C
      CALL MAPA (7, XX, BXC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPA (5, XX, BXC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPM (5, XX, BXC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPA (7, XX, BYC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPA (5, XX, BYC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPM (5, XX, BYC, 1, 24, WL, WH, VL, VH, 1H , 1H , 1H , 1)
      CALL MAPA (7, XX, BC ,1,24, WL, WH, VL, VH, 1H , 1H , 1F , 1)
      CALL MAPA (5, XX, BC ,1,24, WL, WH, VL, VH, 1H ,1H ,1H ,1)
      CALL MAPM (5, XX, BC ,1,24, WL, MH, VL, VH, 1H ,1H ,1H ,1)
C
C
      WRITE STATEMENT
      WRITE (6,10)
      WRITE (6,12) (MAT(I), I=1, NUMEL, 2)
      WRITE (6,10)
      NUMB=1
      DO 550 J=1.25
      NUME=NUMB+12
      WRITE (6,11) (A(I), I=NUMB, NUME)
      NUMB=NUMB+25
 550
      CONTINUE
      NUMB=14
      DO 560 J=1,25
      NUME=NUMB+11
      WRITE (6,14) (A(I), I=NUMB, NUME)
      NUMB=NUMB+25
 560
      CONTINUE
      STOP
C
C
      FORMAT STATEMENT
C
  1
      FORMAT (2110)
    2 FORMAT(4I10)
    4 FORMAT(I10,10x,3F10.4)
    6 FORMAT(I10,10X,3I10)
    8 FORMAT(1015)
     FORMAT (1H1)
  11
      FORMAT
              (1x,13E10.3)
  12 FORMAT (2414)
     FORMAT (3X,12(1E11.4))
  14
  16 FORMAT (1X. I10. 10 X. 3E16.6)
 101 FORMAT (1x.110,E15.6)
  102 FORMAT(5x,6(1x,F8.5))
  106 FORMAT (///)
      END
```